

Notice of Allowability

Application No.

10/058,571

Examiner

Jennine M. Brown

Applicant(s)

HOLTCAMP, MATTHEW W.

Art Unit

1755

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the response of 07/06/2004.
2. ☒ The allowed claim(s) is/are 1-22.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 7/6/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.


Mark L. Bell
Supervisory Patent Examiner
Technology Center 1700

Allowable Subject Matter

Claims 1-22 are allowed.

The following is an examiner's statement of reasons for allowance:

The activator previously cited in US 6703338 is not an ionic species and therefore would not be an obvious variant over the instant claims.

The activator previously cited in US 6632770 is an ionic species but the species would not have been an obvious variant over the instant claims because the claimed activator requires that there are at least two heterocyclic groups (JY) substituted with a halogen atom or halogen atom containing group and the prior art does not require more than one heterocyclic group or that it necessarily be halogenated.

Other prior art of record fails to teach or suggest applicant's ionic and non ionic formulations II, $M(JY)_x$ and I, $Cat^+ [M(JY)_x]^-$. This requires that M is a Group 13 element (B, Al) directly bonded to J, a Group 15 or 16 heteroatom (N, P, O or S) in a heterocyclic ring. Generally the charge on M is 3+, therefore there must be three heteroatom based heterocyclic rings around the Group 13 element. Prior art has taught only a single heteroatomic group around the Group 13 element. Prior art also generally has the group 13 element bound to the carbon element of the heterocyclic ring not the heteroatom directly, therefore this would not be an obvious variant of the prior art. These structures would require very different synthetic reaction mechanisms and would therefore not be obvious over prior art, therefore the catalyst systems would be novel.

Art Unit: 1755


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennine M. Brown whose telephone number is (571) 272-1364. The examiner can normally be reached on M-F 8:00 AM - 6:00 PM; first Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Bell can be reached on (571) 272-1700. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jmb



Mark L. Bell
Supervisory Patent Examiner
Technology Center 1700